Office of the Chair Analysis ICOC Grant Reviews 2008 - 2010

PA = Patient Advocate N = Non-Patient Advocate

PA/PA	Pass	2	(50%)
(14%)	Fail	2	(50%)
PA/N	Pass	12	(80%)
(52%)	Fail	3	(20%)
N/N	Pass	3	(75%)
(14%)	Fail	1	(25%)
N/PA	Pass	4	(67%)
(21%)			

General Conclusions:

The overall passage rate is 72% (21 of 29).

PAs are more likely to make motions -66% of the time (19-10).

Ns are more likely to 2^{nd} motions – 66% of the time (19-10).

Motions are most likely to pass where the motion is mixed -76% success versus 63% for pure motions (mixed 16-5, pure 5-3).

A motion involving N succeeds 76% of the time (19 of 25).

A motion involving PA succeeds 72% of the time (18 of 25).

A motion made by a PA succeeds 74% of the time (14 of 19).

A motion made by a N succeeds 70% of the time (7 of 10).

Incidents and Effects of Group Votes:

PAs vote as a majority to pass a motion 26 out of 29 times (89%) and vote as a majority to decline a motion 3 times (11%).

Ns vote as a majority to pass a motion 18 out of 29 times (62%) and vote as a majority to reject a motion 11 times (38%).

PAs and Ns voted the same way with respective majorities 21 out of 29 times (72%): 18 times to pass a motion and 3 times to reject a motion.

PAs and Ns have disagreed with respective majorities 8 of 29 times (28%), with the motion failing 5 of the 8 times (63%). In the other three times, a portion of the Ns voted with the PA majority to pass the motion.

There has never been a motion where a majority of Ns have voted to pass and PAs have voted in majority to reject or split their vote.

Every motion that has passed has passed with majority PA support (21 of 21).

Every motion that has failed has been rejected by a majority of Ns.

Eleven out of 29 times Ns voted in majority to reject a motion; 8 of which fail to pass (72%).