

Clinical Program Review September 2017

Sohel Talib, Ph.D.

Associate Director, Therapeutics

Accelerating and Developing a Robust Clinical Program







2020 VISION










Diverse Therapeutics Portfolio







CIRM-Funded Clinical Trials Stem Cell Gene Therapy

Clinical Trials



Stem Cell Gene Therapy Program Status

Indication	Investigator / Organization	Phase	Status	Targeted Enrollment
Advanced Malignancies	Ribas/UCLA	Phase 1	Initiating	12
Chemotherapy-free transplantation (X-linked SCID)	Shizuru/Stanford	Phase 1/2a	Enrolling	40
ADA-SCID	Kohn / UCLA	Phase 2/Registration	Enrolling	10
X-linked Chronic Granulomatous Disease	Kohn/UCLA	Phase 1/2	Enrolling	10
X-linked SCID	Sorrentino/St. Jude	Phase 1/2	Enrolling	12
Sickle Cell Disease	Kohn/UCLA	Phase 1	Enrolling	6
Fetal alpha thalassemia major	MacKenzie/UCSF	Phase 1	Enrolling	10

Clinical Trials HIV/AIDS Program Status



Indication	Investigator / Organization	Phase	Status	Targeted Enrollment
HIV	Symonds / Calimmune	Phase 1/2a	Enrollment Complete	12
HIV-Related Lymphoma	Abedi / UC Davis	Phase 1	Enrolling	9-18
HIV/AIDS	Zaia / City of Hope	Phase 1	Enrolling	6-12

Clinical Trials – Chemotherapy free conditioning in allogeneic X-SCID



Investigator: Judith Shizuru, MD, PhD

Institution: Stanford University



Rationale and Design

- Monoclonal antibody that promotes engraftment of hematopoietic stem cells.
- Could replace toxic conditioning regimens and enable chemotherapy-free transplants

Goal

- Primary: Safety and feasibility
- Secondary: HSC engraftment and restoration of immune system

Status

Enrolling

Clinical Trials – ADA-SCID



Investigator: Don Kohn, MD

Institution: UCLA & Orchard Biotherapeutics



Rationale and Design

- Inherited genetic disease with primary immune deficiency due to Adenosine deaminase deficiency (ADA)
- Efficacy of chronic enzyme replacement therapy is uncertain in long-term
- Transplantation of gene corrected autologous blood forming stem cells

Goal

- Primary: Safety
- Secondary: Efficacy; gene marking; immune reconstitution
- Registration (BLA)

- Orphan Drug Designation, Breakthrough Therapy, Rare Pediatric Disease Designation
- >40 patients have been treated including 9 patients in this on going clinical trial (9-15 mo.)
- Safety and initial efficacy data obtained

CURED

Evic

Evangelina Padilla-Vaccaro

Diagnosed at birth with Severe Combined Immunodeficiency Disease my little my little genetically modified supergirl.

Alysia Vaccaro

Every Moment Counts



Clinical Trials – X-CGD



Investigator: Don Kohn, MD

Institution: UCLA




Rationale and Design

- Inherited primary immune deficiency
- Repeat bouts of severe, resistant infections
- Patients' own HSC gene modified

Goal

- Primary: Safety and efficacy
- Secondary: Restoration of immune function

- Multicenter clinical trial with NIH, Boston Children
- Enrolled and treated 5 patients
- Early evidence of clinical efficacy



Clinical Trials – X-SCID



Investigators:

Brian Sorrentino, MD Mort Cowan, MD

Institutions:

St. Jude Children's Hospital UCSF



Rationale and Design

- Catastrophic immunodeficiency disorder caused by mutations in IL2RG gene
- Without a curative transplant-based therapy, X-SCID is lethal in typically in first year of life

Goal

- Primary: Safety and feasibility
- Secondary: Efficacy; gene marking; immune reconstitution

- Enrolled and treated 6 patients (including 2 patients at UCSF). (4-6 months)
- Evidence of restoration of functional immune system: both UCSF patients are at home and off isolation.

Ronnie Priyank

X-SCID Trial





Clinical Trials – Sickle Cell Disease



Investigator: Don Kohn, MD

Institution: UCLA



Rationale and Design

- Inherited mutation in hemoglobin gene causes red blood cells to "sickle", block small blood vessels
- Affects 100,000 in US
- Average lifespan –around 40 years
- Transplantation of patient's own gene modified blood-forming stem cells

Goal

- Primary: Safety, feasibility
- Secondary: Hematopoietic recovery; RBC function; Quality of life assessment

- Enrolled and treated 1 patient
- Feasibility and early safety
- Example of value of Clinical Advisory Panel (CAP) in helping overcome technical challenges
- Partnered with Biomarin

Clinical Trials – Fetal Alpha Thalassemia Major



Investigator: Tippi MacKenzie, MD

Institution: UCSF



Rationale and Design

- Alpha thalassemia major is fatal in utero
- Maternal to fetus hematopoietic stem cell (HSC) transplant may provide cure
- In utero HSC transplantation at 18-25 weeks

Goal

- Primary: Safety of maternal and fetal subjects
- Secondary: Feasibility; Efficacy (maternal/fetal HSC chimerism)

- Award launched August 2017
- Patient recruitment initiating

Clinical Trials – HIV



Investigator: Geoff Symonds, PhD

Company: Calimmune



Rationale and Design

- No curative treatment for HIV
- Patient's own white blood cells and HSC are gene modified to create HIV-resistant blood/immune system

Goal

- Primary: Safety and feasibility
- Secondary: Efficacy; gene marking/expression; viral load/T cell count

- Enrolled and treated 12 patients
- Evidence of safety and feasibility
- CSL acquisition of Calimmune. Committed to complete CIRM funded clinical trial

Beyond

CIRM's Mission

Accelerate stem cell treatments to patients with unmet medical needs.